

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

- 1                   1.       (Currently amended): A method for accessing data comprising:  
2                   storing a plurality of files in a file server;  
3                   monitoring operations on one or more of the files in the file server;  
4                   if a file in the file server is modified, then adding information representative of  
5 the file in an update list stored in the file server, wherein the update list contains information  
6 representative of files that have been modified;  
7                   providing an index, the index comprising information produced from an analysis  
8 of one or more of the files in the file server, the index being accessed by a first computer other  
9 than the file server;  
10                  obtaining information from the update list, thus identifying each file contained in  
11 the update list; ~~and~~  
12                  for each file contained in the update list, updating the index with information  
13 produced from an analysis of the file, whereby the updating is performed only on those files  
14 which have been modified; and  
15                  clearing the update list in the file server.
- 1                   2.       (Original): The method of claim 1 wherein the step of obtaining  
2 information from the update list includes communicating to the first computer first information  
3 representative of one or more files referenced in the update list.
- 1                   3.       (Original): The method of claim 2 wherein the update list is stored in the  
2 file server.
- 1                   4.       (Original): The method of claim 2 wherein the first information comprises  
2 file references contained in the update list.

1                   5.       (Original): The method of claim 2 wherein the first information comprises  
2 copies of the files referenced in the update list.

1                   6.       (Original): The method of claim 1 wherein the update list is stored in a  
2 first file and the step of obtaining information from the update list includes communicating a  
3 copy of the first file to the first computer.

1                   7.       (Original): The method of claim 6 wherein the first file is stored in the file  
2 server.

1                   8.       (Original): The method of claim 1 further comprising clearing the update  
2 list when the index is updated, wherein contents of the update list are deleted.

1                   9.       (Original): The method of claim 8 wherein the step of updating is  
2 performed by the first computer.

1                   10.      (Original): The method of claim 1 wherein the index is stored in the first  
2 computer.

1                   11.      (Original): The method of claim 10 wherein the computer is a search  
2 engine server, wherein the index facilitates performing a search of files stored in the file server

1                   12.      (Currently amended): A method for accessing data comprising:  
2 storing a plurality of files in a first storage location;  
3 receiving a request for a file operation to be performed on a first file;  
4 if the file operation is a write operation, then storing a reference into an update list  
5 which identifies the first file, whereby the update list comprises references of only those files  
6 whose content have been modified;  
7 receiving a request from a first computer for the update list and in response  
8 thereto, communicating information contained in the update list to the first computer; and

9                   subsequent to the step of communicating information, removing the information  
10 contained in the update list from the first storage location.

1                   13.     (Original): The method of claim 12 wherein the one or more file  
2 operations comprises a plurality of write operations, wherein the step of storing identification  
3 information is performed only upon detecting a first of the write operations.

1                   14.     (Original): The method of claim 13 wherein the first write operation is  
2 received subsequent to receiving a clear request.

1                   15.     (Original): The method of claim 12 wherein the step of communicating  
2 information includes communicating content of the update list to the first computer.

1                   16.     (Original): The method of claim 15 wherein a copy of the update list is  
2 communicated to the first computer.

1                   17.     (Original): The method of claim 16 further comprising receiving from the  
2 first computer file operation requests for reading files identified in the update list, and in  
3 response to each such request communicating the requested file to the first computer.

1                   18.     (Original): The method of claim 17 wherein the first computer is a search  
2 engine.

1                   19.     (Original): The method of claim 12 wherein the step of communicating  
2 information includes providing a copy of each file that is referenced in the update list to the first  
3 computer.

1                   20.     (Original): A file server comprising:  
2 storage for storing a plurality of files;  
3 an update list; and  
4 a file server controller,  
5 the file server controller configured to perform the method steps of:

6                   receiving a request for a file operation to be performed on a first file;  
7                   if the file operation is a write operation, then storing a reference to the first  
8           file into the update list, whereby the update list comprises references of only those files  
9           whose content have been modified;  
10                  receiving a request from a first computer for the update list and in  
11           response thereto, communicating information contained in the update list to the first  
12           computer; and  
13                  subsequent to the step of communicating information, removing the  
14           information contained in the update list.

1                  21.   (Original): The file server of claim 20 wherein the first computer is a  
2           search engine.

1                  22.   (Currently amended): A method for accessing files from a file server  
2           comprising:  
3                  receiving a search request and in response thereto accessing an index using search  
4           criteria associated with the search request to obtain information which identifies any files that  
5           match the search criteria and communicating the information in the form of a search result, the  
6           index comprising information based on files stored among one or more file servers; and  
7                  updating the index comprising:  
8                  receiving file information from a first file server, the file information  
9           representative of only those files contained in the first file server that have been modified  
10           subsequent to a first point in time; and  
11                  for each file:  
12                  accessing the file;  
13                  parsing the file to produce index information; and  
14                  updating the index with the index information,  
15                  wherein only those files that have been modified since the first  
16           point in time are accessed and parsed; and  
17                  deleting the file information from the first file server.

1                   23.    (Original): The method of claim 22 wherein the first point in time is a  
2 time when a previous update of the index with files from the first file server was being  
3 performed.

1                   24.    (Original): The method of claim 22 further including creating the index,  
2 wherein the first point in time is a time subsequent to creating the index.

1                   25.    (Original): The method of claim 22 further comprising creating an index  
2 including:  
3                   accessing a plurality of first files from the first file server;  
4                   parsing one of the first files to produce index information; and  
5                   adding the index information into the index, thereby indexing one of the first files,  
6                   wherein the steps of parsing and adding are repeated for each of the first files,  
7                   wherein the first point in time is a time subsequent to indexing all of the first files.

1                   26.    (Original): The method of claim 25 further comprising communicating a  
2 first request to the first file server upon indexing the plurality of first files, whereby the first point  
3 in time is determined based on the file server receiving the first request.

1                   27.    (Original): The method of claim 25 wherein creating an index further  
2 comprises:  
3                   accessing a plurality of second files from a second file server;  
4                   parsing one of the second files to produce index information; and  
5                   adding the index information into the index, thereby indexing one of the second  
6 files,  
7                   wherein the steps of parsing and adding are repeated for each of the second files.

1                   28.    (Original): The method of claim 22 wherein the step of updating the index  
2 is performed for a plurality of file servers, wherein each file server is associated its own first

3 point in time which is a point time subsequent to when the index was previously updated with  
4 files from the file server.

1 29. (Original): The method of claim 28 further including creating the index,  
2 wherein the first point in time is a time subsequent to creating the index.

1 30. (Original): The method of claim 28 wherein the first point in time is a  
2 time subsequent to a previous updating of the index.

1 31. (Original): The method of claim 22 wherein the step of updating the index  
2 is repeated for a plurality of additional file servers, wherein only those files in each additional  
3 file server which have been modified since the first point in time are accessed and parsed.

1 32. (Original): A computer for accessing files comprising:  
2 a file access controller;  
3 an index accessible by the file access controller; and  
4 computer program code configured to control the file access controller to perform  
5 the method steps of claim 22.

1 33. (Original): A search engine server comprising:  
2 a search engine controller;  
3 an index accessible by the search engine controller; and  
4 computer program code configured to control the search engine controller to  
5 perform the method steps of claim 22.

1 34. (Currently amended): A system for data access comprising:  
2 a first file server;  
3 a second server configured to communicate with the first file server;  
4 an index file accessible by the second server, the index file comprising index  
5 information obtained from files stored in the first file server; and  
6 a first update file stored in and accessible by the first file server,

7                   the first file server configured to add file references to the first update list for files  
8   in the first file server whose contents have changed since a first point in time, and further  
9   configured to provide first update information contained in the first update list to the second  
10   server,

11                   the second server configured to:  
12                    receive the first update information;  
13                    access files referenced in the first update information;  
14                    analyze each of the files to produce index information; ~~and~~  
15                    update the index with the index information[[,]]; and  
16                    clearing the update list in the first file server,  
17                    whereby updating the index for files stored on the first file server includes  
18   accessing only those files which are referenced in the first update list.

1                   35.   (Original): The system of claim 34 wherein the second server is a search  
2   engine server.

1                   36.   (Original): The system of claim 34 wherein the first point in time is a time  
2   subsequent to when the index was created.

1                   37.   (Original): The system of claim 36 wherein the second server is further  
2   configured to create the index and to send a first request to the first file server after the index is  
3   created, the first point in time being a time subsequent to the first file server receiving the first  
4   request.

1                   38.   (Original): The system of claim 36 wherein the second server is further  
2   configured to send a first request to the first file server after the index is updated, the first file  
3   server further configured to clear the first update list in response to receiving the first request, the  
4   first point in time being a time subsequent to a time when the first update list is cleared.

1                   39.     (Original): The system of claim 34 further comprising a second file server  
2     and a second update list accessible by the second file server, the second server further being  
3     configured for communication with the second file server,  
4                   the index further comprising index information obtained from files stored in the  
5     second file server,  
6                   the second file server configured to add file references to the second update list  
7     for files in the second file server whose contents have changed since a second point in time and  
8     further configured to provide second update information contained in the second update list to  
9     the second server,  
10                  the second server further configured to update the index based on files referenced  
11     in the second update list.

1                   40.     (Original): The system of claim 39 wherein the second point in time is a  
2     point in time subsequent to when the index created.

1                   41.     (Original): The system of claim 39 wherein the second server is further  
2     configured to create the index and to send a first request to the first file server and to the second  
3     file server after the index is created, wherein the first point in time is a time subsequent to the  
4     first file server receiving the first request, wherein the second point in time is a time subsequent  
5     to the second file server receiving the first request.

1                   42.     (Currently amended): A method for accessing data comprising:  
2                   storing one or more files in a file server;  
3                   receiving a first directory list request for a first directory at the file server, the first  
4     directory list request originating from a first computer;  
5                   in response to receiving the first directory list request from the first computer,  
6     producing a first directory listing that is representative of contents of the first directory;  
7                   receiving a second directory list request for the first directory at the file server, the  
8     second directory list request originating from a second computer;



9                   in response to receiving the second directory list request from the second  
10 computer, producing a second directory listing that is representative of contents of the first  
11 directory, files represented in the second directory listing being based on one or more criteria  
12 contained in a file filter table; and  
13                   in the second computer, updating an index based on the second directory listing.

1                   43.     (Original): The method of claim 42 wherein the second computer is a  
2 search engine server.

1                   44.     (Original): The method of claim 42 wherein the one or more criteria are  
2 based on one or more of: file types; file owner information; file creation dates; and file sizes.

1                   45.     (Original): The method of claim 42 wherein the file filtering table  
2 comprises one or more file types which indicate whether files are to be excluded from the second  
3 directory listing.

1                   46.     (Original): The method of claim 45 wherein the file filtering table further  
2 comprises one or more of file owner information, file creation dates, file sizes.

1                   47.     (Original): The method of claim 42 wherein the file filter specifies which  
2 files are to be included in the second directory listing.

1                   48.     (Original): The method of claim 42 wherein the file filter specifies which  
2 files are to be excluded from the second directory listing.

1                   49.     (Original): The method of claim 42 wherein the file filter specifies which  
2 files are to be included in the second directory listing and which files are to be excluded from the  
3 second directory listing.

1                   50.     (Original): A method for accessing data comprising:  
2 storing one or more files in a file system on a file server;  
3 providing a plurality exports of the file system to a plurality of computer systems;

4                   receiving from a first computer system a directory list request for a first directory  
5 stored on the file server;

6                   producing a first directory listing that is representative of contents of the first  
7 directory if the first computer system has not mounted a predetermined one of the exports; and

8                   producing a second directory listing that is representative of contents of the first  
9 directory if the first computer system has mounted a predetermined one of the exports, wherein  
10 files represented in the second directory listing are determined based on one or more criteria  
11 contained in a file filter table, wherein an index in the first computer system is updated based on  
12 information in the second directory listing.

1                   51.     (Original): The method of claim 50 wherein the first computer system is a  
2 search engine server.

1                   52.     (Original): The method of claim 50 wherein the file filter specifies which  
2 files are to be included in the second directory listing.

1                   53.     (Original): The method of claim 50 wherein the file filter specifies which  
2 files are to be excluded from the second directory listing.

1                   54.     (Original): A method for accessing data comprising:  
2                   storing one or more files in a file system on a file server;  
3                   receiving from a first computer system a directory list request for a first directory  
4 contained on the file server, the directory list request including source information comprising an  
5 identifier of the first computer system;  
6                   producing a first directory listing that is representative of contents of the first  
7 directory if the identifier of the first computer system is different from a predetermined  
8 identifier; and  
9                   producing a second directory listing that is representative of contents of the first  
10 directory if the identifier of the first computer system is the same as the predetermined identifier,  
11 wherein files represented in the second directory listing are determined based on one or more

12 criteria contained in a file filter table, wherein an index in the first computer system is updated  
13 based on information in the second directory listing.

1 55. (Original): The method of claim 54 wherein the identifier is an internet  
2 protocol (IP) address.

1 56. (Original): In a file server, a method for providing access to files  
2 contained in the file server comprising:

3 organizing the files in a file system;

4 providing access to the file system to a plurality of computer systems;

5 storing information representative of one or more predetermined computer  
6 systems;

7 receiving from a first computer system a directory list request for a first directory  
8 stored on the file server;

9 producing a first directory listing that is representative of contents of the first  
10 directory if the first computer system is not one of the predetermined computer systems; and

11 producing a second directory listing that is representative of contents of the first  
12 directory if the first computer system is one of the predetermined computer systems, wherein  
13 files represented in the second directory listing are determined based on one or more criteria  
14 contained in a file filter table.

1 57. (Original): The method of claim 56 wherein the file filtering table  
2 comprises one or more file types which indicate, by file type, whether files are to be excluded  
3 from the second directory listing.

1 58. (Original): The method of claim 57 wherein the file filtering table further  
2 comprises one or more of file owner information, file creation dates, file sizes.

1 59. (Original): The method of claim 56 wherein the file filtering table  
2 comprises one or more criteria which indicate whether a file is to be excluded form the second  
3 directory listing.

1                   60.     (Original): The method of claim 56 wherein the file filtering table  
2 comprises one or more criteria which indicate whether a file is to be included in the second  
3 directory listing.

1                   61.     (Original): The method of claim 56 wherein the file filtering table  
2 comprises one or more first criteria which indicate whether a file is to be included in the second  
3 directory listing and one or more second criteria which indicate whether a file is to be included in  
4 the second directory listing.

1                   62.     (Original): The method of claim 56 further comprising providing one or  
2 more exports to the one or more computer systems, wherein the predetermined one or more  
3 computer systems are identified by the exports they have mounted, whereby the steps of  
4 producing are based on which of the one or more exports the first computer system has mounted.

1                   63.     (Original): The method of claim 56 wherein the predetermined one or  
2 more computer systems are identified by source addresses, whereby the steps of producing are  
3 based on a source address of the first computer system.

1                   64.     (Original): The method of claim 63 wherein the source address is an IP  
2 address.

1                   65.     (Original): A file server comprising:  
2 storage for storing a plurality of files;  
3 a file filter table; and  
4 a file server controller,  
5 the file server controller configured to perform the method steps of claim 56.

1                   66.     (Currently amended): A method for accessing files comprising:  
2 detecting a write operation to a first file in a file server;

3                   selectively adding a representation of the first file into an update list based on one  
4 or more file filter criteria, wherein the detecting step and the selectively adding step is repeated  
5 for additional files in the file server, the update list being stored in the file server;

6                   communicating update information relating to content of the update list to a first  
7 computer,

8                   subsequent to communicating the update information, clearing the update list; and  
9                   in the first computer updating a search index including accessing files contained  
10 in the file server based on the update information.

1                   67.     (Original): The method of claim 66 wherein file filter criteria specify one  
2 or more of: a file type; file ownership; file creation date; and file size.

1                   68.     (Original): The method of claim 66 wherein the update information  
2 comprises file references contained in the update list.

1                   69.     (Original): The method of claim 66 wherein the update information  
2 comprises copies of the files referenced in the update list.

1                   70.     (Original): The method of claim 66 wherein the update list is stored in a  
2 first file and the step of obtaining information from the update list includes communicating a  
3 copy of the first file to the first computer.

1                   71.     (Original): The method of claim 66 wherein the first computer is a search  
2 engine.

1                   72.     (Currently amended): A method for accessing data comprising:  
2 detecting write operations on first files in a file server;  
3 for each first file, selectively adding a reference to the first file into an update list  
4 based on one or more filtering criteria, the update list being stored in the file server;  
5 receiving a first request from a first computer, and in response thereto  
6 communicating update information relating to the update list; and

7 subsequent to communicating the update information, clearing the update list.

1 73. (Original): The method of claim 72 wherein the filtering criteria include  
2 at least one of: a file type; file ownership; file creation date; and file size.

1 74. (Original): The method of claim 73 wherein the filtering criteria specify  
2 whether to add a file to the update list.

1 75. (Original): The method of claim 73 wherein the filtering criteria specify  
2 whether to exclude a file from the update list.

1 76. (Original): The method of claim 72 wherein the update information is a  
2 copy of the update list that is transferred to the first computer.

1 77. (Original): The method of claim 72 wherein the update information  
2 comprises copies of files referenced in the update list.

1 78. (Original): The method of claim 72 wherein the first computer is a search  
2 engine.

1 79. (Original): A file server for providing access to data comprising:  
2 storage for storing a plurality of files;  
3 an update list;  
4 a file filter table; and  
5 a file server controller,  
6 the file server controller configured to perform the method steps of claim 72.